

613-253-0437 Fax 613-257-2287

#### Dockmaster February 2016 Price Schedule \*Please specify if dock is inside leg (IN) or outside leg (OL) when order is placed\*

### <u>26' & 30' Dock Packages and Kits – Leg Style</u> Packages and Kits include two 3', two 4' and two 6' legs

Part #	Frame Kit Only	Frame Kit & Cedar Panels	Frame Kit & Alum Panels
KR4026-OL or IN 4X26	\$1599.00	\$2380.00	\$2849.00
KR5026-OL or IN 5X26	\$1765.00	\$2740.00	\$3325.00
KR6026-OL or IN 6X26	\$1865.00	\$3035.00	\$3739.00
KR4030-OL or IN 4X30	\$1875.00	\$2775.00	\$3315.00
KR5030-OL or IN 5X30	\$1975.00	\$3100.00	\$3775.00
KR6030-OL or IN 6X30	\$2075.00	\$3425.00	\$4235.00

# \*Please specify if dock is inside leg (IN) or outside leg (OL) when order is placed\*

# **Aluminum I or O Leg Frames**

Individual frames do <u>not</u> include legs 2 Leg or 4 Leg Single Frame Additions

Part #	Additional Frames	Frame Only	With	With Alum
	Description		Cedar Panels	Panels
F2410-0L or IN	4'X10'	\$540.00	\$840.00	\$1020.00
	2 leg adj.	plus legs	plus legs	plus legs
F2510-0L or IN	5'X10'	\$655.00	\$1030.00	\$1255.00
	2 leg adj.	plus legs	plus legs	plus legs
F2610-0L or IN	6'X10'	\$750.00	\$1200.00	\$1470.00
	2 leg adj.	plus legs	plus legs	plus legs
F4410-0L or IN	4'X10'	\$655.00	\$955.00	\$1135.00
	4 leg adj.	plus legs	plus legs	plus legs
F4510-0L or IN	5'X10'	\$755.00	\$1130.00	\$1355.00
	4 leg adj.	plus legs	plus legs	plus legs
F4610-0L or IN	6'X10'	\$825.00	\$1275.00	\$1545.00
	4 leg adj.	plus legs	plus legs	plus legs

**<u>NOTE:</u>** Must order legs for the above frames.

## Series I and II Dockmaster Legs Aluminum 2" X 2"

Part #	Available Leg	Price Per	Pair Totals
	Lengths	Leg	
L1003	3 Foot Leg	\$38.00	\$76.00
	With 8"X10" Pad		
L1004	4 Foot Leg	\$48.00	\$96.00
	With 8"X10" Pad		
L1006	6 Foot Leg	\$60.00	\$120.00
	With 8"X10" Pad		
L1008	8 Foot Leg	\$88.00	\$176.00
	With 8"X10" Pad		
L1010	10 Foot Leg	\$110.00	\$220.00
	With 8"x10" Pad		, _0.00
L1006W	6 Foot Leg	\$210.00	\$420.00
	With 8"x24" Wheel		+ - 20100

NOTE: A sway	brace kit is recommended for water over 5 feet in depth.

